

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/807,093	09/807,093 05/24/2001		Eddy Daelmans	501139	2724
23626	7590	12/22/2004	•	EXAM	INER
LEYDIG V 6815 WEAV		MAYER, LTD	DICUS, TAMRA		
ROCKFORI		_		ART UNIT	PAPER NUMBER
	•			1774	•

DATE MAILED: 12/22/2004

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

The drawings filed <u>5-24-01</u> have been received. However, an inconsistency exists between he drawings and the Brief Description of the Drawings in the specification.							
Figures are list		ption of the	Drawings in the specification but not				
Figures 9 are c Drawings in the spec		igs but not li	isted in the Brief Description of the				

Applicant is required to correct the above-noted inconsistency within a time period of ONE MONTH or THIRTY (30) DAYS, whichever is longer, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b)

Failure to correct the above noted inconsistency will result in abandonment of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

Return Corrected Drawings/Specification to:

Mail Stop Issue Fee Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450

Office of Patent Publication/Publishing Division Customer Service: 703-308-6789 1-888-786-0101

FORM PTO-1631 (REV. 10-03)